


Wkręty blokowane samogwintujące

Self-tapping locked screws

D = 2,4 mm

S = 2,5 mm

T = 8



L [mm] Ref.

10	4-01-200-10
12	4-01-200-12
14	4-01-200-14
16	4-01-200-16
18	4-01-200-18
20	4-01-200-20
22	4-01-200-22
24	4-01-200-24
26	4-01-200-26
28	4-01-200-28
30	4-01-200-30
32	4-01-200-32
34	4-01-200-34
36	4-01-200-36
38	4-01-200-38
40	4-01-200-40

L [mm] Ref.

10	4-01-208-10
12	4-01-208-12
14	4-01-208-14
16	4-01-208-16
18	4-01-208-18
20	4-01-208-20
22	4-01-208-22
24	4-01-208-24
26	4-01-208-26
28	4-01-208-28
30	4-01-208-30
32	4-01-208-32
34	4-01-208-34
36	4-01-208-36
38	4-01-208-38
40	4-01-208-40

D = 2,7 mm

S = 2,5 mm

T = 8

L [mm] Ref.

10	4-01-201-10
12	4-01-201-12
14	4-01-201-14
16	4-01-201-16
18	4-01-201-18
20	4-01-201-20
22	4-01-201-22
24	4-01-201-24
26	4-01-201-26
28	4-01-201-28
30	4-01-201-30
32	4-01-201-32
34	4-01-201-34
36	4-01-201-36
38	4-01-201-38
40	4-01-201-40
42	4-01-201-42
44	4-01-201-44
46	4-01-201-46
48	4-01-201-48
50	4-01-201-50
55	4-01-201-55
60	4-01-201-60

L [mm] Ref.

10	4-01-209-10
12	4-01-209-12
14	4-01-209-14
16	4-01-209-16
18	4-01-209-18
20	4-01-209-20
22	4-01-209-22
24	4-01-209-24
26	4-01-209-26
28	4-01-209-28
30	4-01-209-30
32	4-01-209-32
34	4-01-209-34
36	4-01-209-36
38	4-01-209-38
40	4-01-209-40
42	4-01-209-42
44	4-01-209-44
46	4-01-209-46
48	4-01-209-48
50	4-01-209-50
55	4-01-209-55
60	4-01-209-60


Wkręty blokowane samowierzące

Self-drilling locked screws

D = 2,4 mm

S = 2,5 mm

T = 8



L [mm] Ref.

10	4-01-225-10
12	4-01-225-12
14	4-01-225-14
16	4-01-225-16
18	4-01-225-18
20	4-01-225-20
22	4-01-225-22
24	4-01-225-24
26	4-01-225-26
28	4-01-225-28
30	4-01-225-30
32	4-01-225-32
34	4-01-225-34
36	4-01-225-36
38	4-01-225-38
40	4-01-225-40

L [mm] Ref.

10	4-01-226-10
12	4-01-226-12
14	4-01-226-14
16	4-01-226-16
18	4-01-226-18
20	4-01-226-20
22	4-01-226-22
24	4-01-226-24
26	4-01-226-26
28	4-01-226-28
30	4-01-226-30
32	4-01-226-32
34	4-01-226-34
36	4-01-226-36
38	4-01-226-38
40	4-01-226-40

D = 2,7 mm

S = 2,5 mm

T = 8

L [mm] Ref.

10	4-01-227-10
12	4-01-227-12
14	4-01-227-14
16	4-01-227-16
18	4-01-227-18
20	4-01-227-20
22	4-01-227-22
24	4-01-227-24
26	4-01-227-26
28	4-01-227-28
30	4-01-227-30
32	4-01-227-32
34	4-01-227-34
36	4-01-227-36
38	4-01-227-38
40	4-01-227-40
42	4-01-227-42
44	4-01-227-44
46	4-01-227-46
48	4-01-227-48
50	4-01-227-50
55	4-01-227-55
60	4-01-227-60

L [mm] Ref.


10	4-01-229-10
12	4-01-229-12
14	4-01-229-14
16	4-01-229-16
18	4-01-229-18
20	4-01-229-20
22	4-01-229-22
24	4-01-229-24
26	4-01-229-26
28	4-01-229-28
30	4-01-229-30
32	4-01-229-32
34	4-01-229-34
36	4-01-229-36
38	4-01-229-38
40	4-01-229-40
42	4-01-229-42
44	4-01-229-44
46	4-01-229-46
48	4-01-229-48
50	4-01-229-50
55	4-01-229-55
60	4-01-229-60

Wkręty blokowane zaślepiające

Screw hole insert

S = 2,5 mm

T = 8



Ref.

Ref.

4-01-200-02

4-01-208-02

Wkręty blokowane samogwintujące

Self-tapping locked screws

D = 3,5 mm

S = 2,5 mm

T = 15

L [mm] Ref.

10	4-01-11-10
12	4-01-11-12
14	4-01-11-14
16	4-01-11-16
18	4-01-11-18
20	4-01-11-20
22	4-01-11-22
24	4-01-11-24
26	4-01-11-26
28	4-01-11-28
30	4-01-11-30
32	4-01-11-32
34	4-01-11-34
35	4-01-11-35
36	4-01-11-36
38	4-01-11-38
40	4-01-11-40
42	4-01-11-42
44	4-01-11-44
45	4-01-11-45
46	4-01-11-46
48	4-01-11-48
50	4-01-11-50
52	4-01-11-52
54	4-01-11-54
56	4-01-11-56
58	4-01-11-58
60	4-01-11-60
65	4-01-11-65
70	4-01-11-70
75	4-01-11-75
80	4-01-11-80
85	4-01-11-85
90	4-01-11-90

L [mm] Ref.

10	4-01-223-10
12	4-01-223-12
14	4-01-223-14
16	4-01-223-16
18	4-01-223-18
20	4-01-223-20
22	4-01-223-22
24	4-01-223-24
26	4-01-223-26
28	4-01-223-28
30	4-01-223-30
32	4-01-223-32
34	4-01-223-34
35	4-01-223-35
36	4-01-223-36
38	4-01-223-38
40	4-01-223-40
42	4-01-223-42
44	4-01-223-44
45	4-01-223-45
46	4-01-223-46
48	4-01-223-48
50	4-01-223-50
52	4-01-223-52
54	4-01-223-54
56	4-01-223-56
58	4-01-223-58
60	4-01-223-60
65	4-01-223-65
70	4-01-223-70
75	4-01-223-75
80	4-01-223-80
85	4-01-223-85
90	4-01-223-90

Wkręty blokowane samowierzące

Self-drilling locked screws

D = 3,5 mm

S = 2,5 mm

T = 15

L [mm] Ref.

10	4-01-206-10
12	4-01-206-12
14	4-01-206-14
16	4-01-206-16
18	4-01-206-18
20	4-01-206-20
22	4-01-206-22
24	4-01-206-24
26	4-01-206-26
28	4-01-206-28
30	4-01-206-30
32	4-01-206-32
34	4-01-206-34
35	4-01-206-35
36	4-01-206-36
38	4-01-206-38
40	4-01-206-40
42	4-01-206-42
44	4-01-206-44
45	4-01-206-45
46	4-01-206-46
48	4-01-206-48
50	4-01-206-50
52	4-01-206-52
54	4-01-206-54
56	4-01-206-56
58	4-01-206-58
60	4-01-206-60
65	4-01-206-65
70	4-01-206-70
75	4-01-206-75
80	4-01-206-80
85	4-01-206-85
90	4-01-206-90


L [mm] Ref.

10	4-01-214-10
12	4-01-214-12
14	4-01-214-14
16	4-01-214-16
18	4-01-214-18
20	4-01-214-20
22	4-01-214-22
24	4-01-214-24
26	4-01-214-26
28	4-01-214-28
30	4-01-214-30
32	4-01-214-32
34	4-01-214-34
35	4-01-214-35
36	4-01-214-36
38	4-01-214-38
40	4-01-214-40
42	4-01-214-42
44	4-01-214-44
45	4-01-214-45
46	4-01-214-46
48	4-01-214-48
50	4-01-214-50
52	4-01-214-52
54	4-01-214-54
56	4-01-214-56
58	4-01-214-58
60	4-01-214-60
65	4-01-214-65
70	4-01-214-70
75	4-01-214-75
80	4-01-214-80
85	4-01-214-85
90	4-01-214-90

D = 2,7 mm

S = 2,5 mm

T = 15



L [mm] Ref.

10	4-01-202-10
12	4-01-202-12
14	4-01-202-14
16	4-01-202-16
18	4-01-202-18
20	4-01-202-20
22	4-01-202-22
24	4-01-202-24
26	4-01-202-26
28	4-01-202-28
30	4-01-202-30
32	4-01-202-32
34	4-01-202-34
35	4-01-202-35
36	4-01-202-36
38	4-01-202-38
40	4-01-202-40
42	4-01-202-42
44	4-01-202-44
45	4-01-202-45
46	4-01-202-46
48	4-01-202-48
50	4-01-202-50
55	4-01-202-55
60	4-01-202-60


L [mm] Ref.

10	4-01-224-10
12	4-01-224-12
14	4-01-224-14
16	4-01-224-16
18	4-01-224-18
20	4-01-224-20
22	4-01-224-22
24	4-01-224-24
26	4-01-224-26
28	4-01-224-28
30	4-01-224-30
32	4-01-224-32
34	4-01-224-34
35	4-01-224-35
36	4-01-224-36
38	4-01-224-38
40	4-01-224-40
42	4-01-224-42
44	4-01-224-44
45	4-01-224-45
46	4-01-224-46
48	4-01-224-48
50	4-01-224-50
55	4-01-224-55
60	4-01-224-60

D = 2,7 mm

S = 2,5 mm

T = 15



L [mm] Ref.


10	4-01-228-10
12	4-01-228-12
14	4-01-228-14
16	4-01-228-16
18	4-01-228-18
20	4-01-228-20
22	4-01-228-22
24	4-01-228-24
26	4-01-228-26
28	4-01-228-28
30	4-01-228-30
32	4-01-228-32
34	4-01-228-34
35	4-01-228-35
36	4-01-228-36
38	4-01-228-38
40	4-01-228-40
42	4-01-228-42
44	4-01-228-44
45	4-01-228-45
46	4-01-228-46
48	4-01-228-48
50	4-01-228-50
55	4-01-228-55
60	4-01-228-60

L [mm] Ref.


10	4-01-230-10
12	4-01-230-12
14	4-01-230-14
16	4-01-230-16
18	4-01-230-18
20	4-01-230-20
22	4-01-230-22
24	4-01-230-24
26	4-01-230-26
28	4-01-230-28
30	4-01-230-30
32	4-01-230-32
34	4-01-230-34
35	4-01-230-35
36	4-01-230-36
38	4-01-230-38
40	4-01-230-40
42	4-01-230-42
44	4-01-230-44
45	4-01-230-45
46	4-01-230-46
48	4-01-230-48
50	4-01-230-50
55	4-01-230-55
60	4-01-230-60

Wkręty z łbem stożkowym samogwintujące

Self-tapping conical screws



S = 2,5 mm



D = 3,5 mm

T = 15




L [mm]	Ref.
40	4-01-249-40
45	4-01-249-45
50	4-01-249-50
55	4-01-249-55
60	4-01-249-60
65	4-01-249-65
70	4-01-249-70
75	4-01-249-75
80	4-01-249-80
85	4-01-249-85
90	4-01-249-90
95	4-01-249-95


L [mm]	Ref.
40	4-01-251-40
45	4-01-251-45
50	4-01-251-50
55	4-01-251-55
60	4-01-251-60
65	4-01-251-65
70	4-01-251-70
75	4-01-251-75
80	4-01-251-80
85	4-01-251-85
90	4-01-251-90
95	4-01-251-95

Wkręty z łbem stożkowym samogwintujące

Self-tapping conical screws



S = 2,5 mm



D = 3,5 mm

T = 15



L [mm]	Ref.
40	4-01-248-40
45	4-01-248-45
50	4-01-248-50
55	4-01-248-55
60	4-01-248-60
65	4-01-248-65
70	4-01-248-70
75	4-01-248-75
80	4-01-248-80
85	4-01-248-85
90	4-01-248-90
95	4-01-248-95

L [mm]	Ref.
40	4-01-250-40
45	4-01-250-45
50	4-01-250-50
55	4-01-250-55
60	4-01-250-60
65	4-01-250-65
70	4-01-250-70
75	4-01-250-75
80	4-01-250-80
85	4-01-250-85
90	4-01-250-90
95	4-01-250-95

Wkręty blokowane zaślepiające

Screw hole insert

	S = 2,5 mm	T = 15
Ref.		Ref.
4-01-11-03		4-01-214-03

Wkręty blokowane dystansowe

Spacer

	S = 2,5 mm	T = 15
Ref.		Ref.
4-01-11-05		4-01-214-05




Wkręty blokowane samogwintujące

Self-tapping locked screws

D = 5,0 mm

S = 3,5 mm

T = 25



L [mm]	Ref.
14	4-01-17-14
16	4-01-17-16
18	4-01-17-18
20	4-01-17-20
22	4-01-17-22
24	4-01-17-24
26	4-01-17-26
28	4-01-17-28
30	4-01-17-30
32	4-01-17-32
34	4-01-17-34
35	4-01-17-35
36	4-01-17-36
38	4-01-17-38
40	4-01-17-40
42	4-01-17-42
44	4-01-17-44
45	4-01-17-45
46	4-01-17-46
48	4-01-17-48
50	4-01-17-50
52	4-01-17-52
54	4-01-17-54
56	4-01-17-56
58	4-01-17-58
60	4-01-17-60
65	4-01-17-65
70	4-01-17-70
75	4-01-17-75
80	4-01-17-80
85	4-01-17-85
90	4-01-17-90
95	4-01-17-95
100	4-01-17-100
105	4-01-17-105
110	4-01-17-110
115	4-01-17-115

L [mm]	Ref.
14	4-01-222-14
16	4-01-222-16
18	4-01-222-18
20	4-01-222-20
22	4-01-222-22
24	4-01-222-24
26	4-01-222-26
28	4-01-222-28
30	4-01-222-30
32	4-01-222-32
34	4-01-222-34
35	4-01-222-35
36	4-01-222-36
38	4-01-222-38
40	4-01-222-40
42	4-01-222-42
44	4-01-222-44
45	4-01-222-45
46	4-01-222-46
48	4-01-222-48
50	4-01-222-50
52	4-01-222-52
54	4-01-222-54
56	4-01-222-56
58	4-01-222-58
60	4-01-222-60
65	4-01-222-65
70	4-01-222-70
75	4-01-222-75
80	4-01-222-80
85	4-01-222-85
90	4-01-222-90
95	4-01-222-95
100	4-01-222-100
105	4-01-222-105
110	4-01-222-110
115	4-01-222-115


Wkręty blokowane samowierzące

Self-drilling locked screws

D = 5,0 mm

S = 3,5 mm

T = 25




L [mm]	Ref.
14	4-01-207-14
16	4-01-207-16
18	4-01-207-18
20	4-01-207-20
22	4-01-207-22
24	4-01-207-24
26	4-01-207-26
28	4-01-207-28
30	4-01-207-30
32	4-01-207-32
34	4-01-207-34
35	4-01-207-35
36	4-01-207-36
38	4-01-207-38
40	4-01-207-40
42	4-01-207-42
44	4-01-207-44
45	4-01-207-45
46	4-01-207-46
48	4-01-207-48
50	4-01-207-50
52	4-01-207-52
54	4-01-207-54
56	4-01-207-56
58	4-01-207-58
60	4-01-207-60
65	4-01-207-65
70	4-01-207-70
75	4-01-207-75
80	4-01-207-80
85	4-01-207-85
90	4-01-207-90
95	4-01-207-95
100	4-01-207-100
105	4-01-207-105
110	4-01-207-110
115	4-01-207-115

L [mm]	Ref.
14	4-01-215-14
16	4-01-215-16
18	4-01-215-18
20	4-01-215-20
22	4-01-215-22
24	4-01-215-24
26	4-01-215-26
28	4-01-215-28
30	4-01-215-30
32	4-01-215-32
34	4-01-215-34
35	4-01-215-35
36	4-01-215-36
38	4-01-215-38
40	4-01-215-40
42	4-01-215-42
44	4-01-215-44
45	4-01-215-45
46	4-01-215-46
48	4-01-215-48
50	4-01-215-50
52	4-01-215-52
54	4-01-215-54
56	4-01-215-56
58	4-01-215-58
60	4-01-215-60
65	4-01-215-65
70	4-01-215-70
75	4-01-215-75
80	4-01-215-80
85	4-01-215-85
90	4-01-215-90
95	4-01-215-95
100	4-01-215-100
105	4-01-215-105
110	4-01-215-110
115	4-01-215-115

Wkręt blokowany kaniulowany samowierzący

Self-drilling cannulated locked screw

D = 7,3 mm




S = 3,5 mm



L [mm]	Ref.
30	4-01-204-30
35	4-01-204-35
40	4-01-204-40
45	4-01-204-45
50	4-01-204-50
55	4-01-204-55
60	4-01-204-60
65	4-01-204-65
70	4-01-204-70
75	4-01-204-75
80	4-01-204-80
85	4-01-204-85
90	4-01-204-90
95	4-01-204-95
100	4-01-204-100
105	4-01-204-105
110	4-01-204-110
115	4-01-204-115
120	4-01-204-120
125	4-01-204-125
130	4-01-204-130
135	4-01-204-135
140	4-01-204-140
145	4-01-204-145


T = 25



L [mm]	Ref.
30	4-01-212-30
35	4-01-212-35
40	4-01-212-40
45	4-01-212-45
50	4-01-212-50
55	4-01-212-55
60	4-01-212-60
65	4-01-212-65
70	4-01-212-70
75	4-01-212-75
80	4-01-212-80
85	4-01-212-85
90	4-01-212-90
95	4-01-212-95
100	4-01-212-100
105	4-01-212-105
110	4-01-212-110
115	4-01-212-115
120	4-01-212-120
125	4-01-212-125
130	4-01-212-130
135	4-01-212-135
140	4-01-212-140
145	4-01-212-145

Wkręty blokowane kaniulowane samowierzące

Self-drilling cannulated locked screws



S = 3,5 mm


D = 5 mm

L [mm]	Ref.
16	4-01-234-16
18	4-01-234-18
20	4-01-234-20
22	4-01-234-22
24	4-01-234-24
26	4-01-234-26
28	4-01-234-28
30	4-01-234-30
32	4-01-234-32
34	4-01-234-34
36	4-01-234-36
38	4-01-234-38
40	4-01-234-40
42	4-01-234-42
44	4-01-234-44
46	4-01-234-46
48	4-01-234-48
50	4-01-234-50
52	4-01-234-52

L [mm]	Ref.
54	4-01-234-54
56	4-01-234-56
58	4-01-234-58
60	4-01-234-60
65	4-01-234-65
70	4-01-234-70
75	4-01-234-75
80	4-01-234-80
85	4-01-234-85
90	4-01-234-90
95	4-01-234-95
100	4-01-234-100
105	4-01-234-105
110	4-01-234-110
115	4-01-234-115

T = 25

D = 5 mm




L [mm]	Ref.
16	4-01-268-16
18	4-01-268-18
20	4-01-268-20
22	4-01-268-22
24	4-01-268-24
26	4-01-268-26
28	4-01-268-28
30	4-01-268-30
32	4-01-268-32
34	4-01-268-34
36	4-01-268-36
38	4-01-268-38
40	4-01-268-40
42	4-01-268-42
44	4-01-268-44
46	4-01-268-46
48	4-01-268-48
50	4-01-268-50
52	4-01-268-52

L [mm]	Ref.
54	4-01-268-54
56	4-01-268-56
58	4-01-268-58
60	4-01-268-60
65	4-01-268-65
70	4-01-268-70
75	4-01-268-75
80	4-01-268-80
85	4-01-268-85
90	4-01-268-90
95	4-01-268-95
100	4-01-268-100
105	4-01-268-105
110	4-01-268-110
115	4-01-268-115

Wkręty kaniulowane z łbem stożkowym samowierzące


Self-drilling cannulated conical screws




D = 7,3 mm
S = 3,5 mm

L [mm]	Ref.
50	4-01-254-50
55	4-01-254-55
60	4-01-254-60
65	4-01-254-65
70	4-01-254-70
75	4-01-254-75
80	4-01-254-80
85	4-01-254-85
90	4-01-254-90
95	4-01-254-95

L [mm]	Ref.
50	4-01-253-50
55	4-01-253-55
60	4-01-253-60
65	4-01-253-65
70	4-01-253-70
75	4-01-253-75
80	4-01-253-80
85	4-01-253-85
90	4-01-253-90
95	4-01-253-95






Wkręty kaniulowane z łbem stożkowym samowierzące Self-drilling cannulated conical screws

S = 3,5 mm D = 5 mm



L [mm]	Ref.
40	4-01-252-40
45	4-01-252-45
50	4-01-252-50
55	4-01-252-55
60	4-01-252-60
65	4-01-252-65
70	4-01-252-70
75	4-01-252-75
80	4-01-252-80
85	4-01-252-85
90	4-01-252-90
95	4-01-252-95

T = 25 D = 5 mm




L [mm]	Ref.
40	4-01-267-40
45	4-01-267-45
50	4-01-267-50
55	4-01-267-55
60	4-01-267-60
65	4-01-267-65
70	4-01-267-70
75	4-01-267-75
80	4-01-267-80
85	4-01-267-85
90	4-01-267-90
95	4-01-267-95



Nakrętka kompresyjna do wkrętów Ø 5,0 z łbem stożkowym Screw nut for conical screws Ø 5,0

S = 3,5 mm



Ref.

4-01-255-01


*dedykowana do wkrętów: 4-01-252-L, 4-01-267-L

*dedicated to screws: 4-01-252-L, 4-01-267-L

Wkręty blokowane dystansowe Spacer



S = 3,5 mm



Ref.

4-01-207-06

T = 25




Ref.

4-01-215-06

Wkręty blokowane zaślepiające Screw hole insert

S = 3,5 mm



Ref.

4-01-207-04

T = 25




Ref.

4-01-215-04



Wkręty blokowane okotoprotezowe Periprosthetic locked screws

S = 3,5 mm D = 5 mm



L [mm]	Ref.
8	4-01-296-08
10	4-01-296-10
12	4-01-296-12
14	4-01-296-14
16	4-01-296-16
18	4-01-296-18

T = 25 D = 5 mm



L [mm]	Ref.
8	4-01-297-08
10	4-01-297-10
12	4-01-297-12
14	4-01-297-14
16	4-01-297-16
18	4-01-297-18

