



No.1 & GROWING
NARANG MEDICAL LIMITED
ISO 9001:2000, ISO 13485:2003, CE & WHO:GMP Compliance

☐ SAFETY LOCK PLATES & SCREWS SMALL



www.ortho.in



SAFETY LOCK PLATES

... SMALL FRAGMENT SYSTEM



DISTAL HUMERUS SAFETY LOCK PLATE 2.7/3.5MM, DORSOLATERAL

No. of Holes	STAINLESS STEEL	
	Left	Right
3	SF-601.03L	SF-601.03R
5	SF-601.05L	SF-601.05R
7	SF-601.07L	SF-601.07R
9	SF-601.09L	SF-601.09R
14	SF-601.14L	SF-601.14R

No. of Holes	TITANIUM	
	Left	Right
3	Ti-SF-601.03L	Ti-SF-601.03R
5	Ti-SF-601.05L	Ti-SF-601.05R
7	Ti-SF-601.07L	Ti-SF-601.07R
9	Ti-SF-601.09L	Ti-SF-601.09R
14	Ti-SF-601.14L	Ti-SF-601.14R

SCREWS : Safety Lock - 2.4mm, 2.7mm, 3.5mm
Cortex - 3.5mm
Cancellous - 4.0mm



DISTAL HUMERUS SAFETY LOCK PLATE 2.7/3.5MM, DORSOLATERAL WITH LATERAL SUPPORT

No. of Holes	STAINLESS STEEL	
	Left	Right
3	SF-603.03L	SF-603.03R
5	SF-603.05L	SF-603.05R
7	SF-603.07L	SF-603.07R
9	SF-603.09L	SF-603.09R
14	SF-603.14L	SF-603.14R

No. of Holes	TITANIUM	
	Left	Right
3	Ti-SF-603.03L	Ti-SF-603.03R
5	Ti-SF-603.05L	Ti-SF-603.05R
7	Ti-SF-603.07L	Ti-SF-603.07R
9	Ti-SF-603.09L	Ti-SF-603.09R
14	Ti-SF-603.14L	Ti-SF-603.14R



HUMERUS DISTAL MEDIAL SAFETY LOCK PLATE 2.7/3.5MM

No. of Holes	STAINLESS STEEL	
	Left	Right
3	SF-604.03L	SF-604.03R
5	SF-604.05L	SF-604.05R
7	SF-604.07L	SF-604.07R
9	SF-604.09L	SF-604.09R
14	SF-604.14L	SF-604.14R

No. of Holes	TITANIUM	
	Left	Right
3	Ti-SF-604.03L	Ti-SF-604.03R
5	Ti-SF-604.05L	Ti-SF-604.05R
7	Ti-SF-604.07L	Ti-SF-604.07R
9	Ti-SF-604.09L	Ti-SF-604.09R
14	Ti-SF-604.14L	Ti-SF-604.14R

05
3



PROXIMAL HUMERUS SAFETY LOCK PLATE

No. of Holes	STAINLESS STEEL
5	SF-640.005
6	SF-640.006
7	SF-640.007
8	SF-640.008

No. of Holes	TITANIUM
5	Ti-SF-640.005
6	Ti-SF-640.006
7	Ti-SF-640.007
8	Ti-SF-640.008





SAFETY LOCK PLATES

... SMALL FRAGMENT SYSTEM



**3.5MM SMALL DYNAMIC COMPRESSION
SAFETY LOCK PLATE WITH LC UNDER CUTS**

No. of Holes	STAINLESS STEEL
4	SF-147.104
5	SF-147.105
6	SF-147.106
7	SF-147.107
8	SF-147.108
9	SF-147.109
10	SF-147.110
11	SF-147.111
12	SF-147.112

No. of Holes	TITANIUM
4	Ti-SF-147.104
5	Ti-SF-147.105
6	Ti-SF-147.106
7	Ti-SF-147.107
8	Ti-SF-147.108
9	Ti-SF-147.109
10	Ti-SF-147.110
11	Ti-SF-147.111
12	Ti-SF-147.112

05
4



DISTAL TIBIA SAFETY LOCK PLATE 2.7/3.5MM

No. of Holes	STAINLESS STEEL	
	Left	Right
4	SF-605.04L	SF-605.04R
6	SF-605.06L	SF-605.06R
8	SF-605.08L	SF-605.08R
10	SF-605.10L	SF-605.10R
12	SF-605.12L	SF-605.12R
14	SF-605.14L	SF-605.14R

No. of Holes	TITANIUM	
	Left	Right
4	Ti-SF-605.04L	Ti-SF-605.04R
6	Ti-SF-605.06L	Ti-SF-605.06R
8	Ti-SF-605.08L	Ti-SF-605.08R
10	Ti-SF-605.10L	Ti-SF-605.10R
12	Ti-SF-605.12L	Ti-SF-605.12R
14	Ti-SF-605.14L	Ti-SF-605.14R



SAFETY LOCK SMALL OBLIQUE 'T' PLATE 3.5MM

No. of Holes	STAINLESS STEEL	
	Left	Right
3	SF-142.103L	SF-142.103R
4	SF-142.104L	SF-142.104R
5	SF-142.105L	SF-142.105R
6	SF-142.106L	SF-142.106R

No. of Holes	TITANIUM	
	Left	Right
3	Ti-SF-142.103L	Ti-SF-142.103R
4	Ti-SF-142.104L	Ti-SF-142.104R
5	Ti-SF-142.105L	Ti-SF-142.105R
6	Ti-SF-142.106L	Ti-SF-142.106R



SAFETY LOCK SMALL 'T' PLATE 3.5MM

No. of Holes	STAINLESS STEEL
3	SF-141.103
4	SF-141.104
5	SF-141.105
6	SF-141.106

No. of Holes	TITANIUM
3	Ti-SF-141.103
4	Ti-SF-141.104
5	Ti-SF-141.105
6	Ti-SF-141.106



CLOVERLEAF SAFETY LOCK PLATE 3.5MM

No. of Holes	STAINLESS STEEL
3	SF-146.103
4	SF-146.104
5	SF-146.105
6	SF-146.106

No. of Holes	TITANIUM
3	Ti-SF-146.103
4	Ti-SF-146.104
5	Ti-SF-146.105
6	Ti-SF-146.106





PROXIMAL TIBIA SAFETY LOCK PLATE 3.5MM

No. of Holes	STAINLESS STEEL	
	Left	Right
4	SF-607.04L	SF-607.04R
6	SF-607.06L	SF-607.06R
8	SF-607.08L	SF-607.08R
10	SF-607.10L	SF-607.10R
12	SF-607.12L	SF-607.12R
14	SF-607.14L	SF-607.14R
16	SF-607.16L	SF-607.16R

No. of Holes	TITANIUM	
	Left	Right
4	Ti-SF-607.04L	Ti-SF-607.04R
6	Ti-SF-607.06L	Ti-SF-607.06R
8	Ti-SF-607.08L	Ti-SF-607.08R
10	Ti-SF-607.10L	Ti-SF-607.10R
12	Ti-SF-607.12L	Ti-SF-607.12R
14	Ti-SF-607.14L	Ti-SF-607.14R
16	Ti-SF-607.16L	Ti-SF-607.16R



CLAVICLE HOOK SAFETY LOCK PLATE 3.5MM

No. of Holes	Hook Depth	STAINLESS STEEL	
		Left	Right
4	12 mm	SF-609.01L	SF-609.01R
4	15 mm	SF-609.03L	SF-609.03R
4	18 mm	SF-609.05L	SF-609.05R
5	12 mm	SF-609.07L	SF-609.07R
5	15 mm	SF-609.09L	SF-609.09R
5	18 mm	SF-609.11L	SF-609.11R
6	15 mm	SF-609.13L	SF-609.13R
6	18 mm	SF-609.15L	SF-609.15R
7	15 mm	SF-609.17L	SF-609.17R
7	18 mm	SF-609.19L	SF-609.19R

No. of Holes	Hook Depth	TITANIUM	
		Left	Right
4	12 mm	Ti-SF-609.01L	Ti-SF-609.01R
4	15 mm	Ti-SF-609.03L	Ti-SF-609.03R
4	18 mm	Ti-SF-609.05L	Ti-SF-609.05R
5	12 mm	Ti-SF-609.07L	Ti-SF-609.07R
5	15 mm	Ti-SF-609.09L	Ti-SF-609.09R
5	18 mm	Ti-SF-609.11L	Ti-SF-609.11R
6	15 mm	Ti-SF-609.13L	Ti-SF-609.13R
6	18 mm	Ti-SF-609.15L	Ti-SF-609.15R
7	15 mm	Ti-SF-609.17L	Ti-SF-609.17R
7	18 mm	Ti-SF-609.19L	Ti-SF-609.19R



METAPHYSEAL SAFETY LOCK PLATE 3.5MM

No. of Holes	Length in mm	Code S.S.
6	86	SF-613.06
7	99	SF-613.07
8	112	SF-613.08
9	125	SF-613.09
10	138	SF-613.10
11	151	SF-613.11
12	164	SF-613.12
14	190	SF-613.13
16	216	SF-613.14
18	242	SF-613.15

No. of Holes	Length in mm	Code TITANIUM
6	86	Ti-SF-613.06
7	99	Ti-SF-613.07
8	112	Ti-SF-613.08
9	125	Ti-SF-613.09
10	138	Ti-SF-613.10
11	151	Ti-SF-613.11
12	164	Ti-SF-613.12
14	190	Ti-SF-613.13
16	216	Ti-SF-613.14
18	242	Ti-SF-613.15


05
7



METAPHYSEAL SAFETY LOCK PLATES 3.5/4.5/5.0MM FOR DISTAL MEDIAL TIBIA

No. of Holes	Hook Depth	STAINLESS STEEL	
		Left	Right
4+4	123	SF-617.04L	SF-617.04R
4+5	141	SF-617.05L	SF-617.05R
4+6	159	SF-617.06L	SF-617.06R
4+7	177	SF-617.07L	SF-617.07R
4+8	195	SF-617.08L	SF-617.08R
4+9	213	SF-617.09L	SF-617.09R
4+10	231	SF-617.10L	SF-617.10R
4+12	267	SF-617.11L	SF-617.11R
4+14	303	SF-617.12L	SF-617.12R
4+16	339	SF-617.13L	SF-617.13R
4+18	375	SF-617.14L	SF-617.14R
4+20	411	SF-617.15L	SF-617.15R

No. of Holes	Hook Depth	TITANIUM	
		Left	Right
4+4	123	Ti-SF-617.04L	Ti-SF-617.04R
4+5	141	Ti-SF-617.05L	Ti-SF-617.05R
4+6	159	Ti-SF-617.06L	Ti-SF-617.06R
4+7	177	Ti-SF-617.07L	Ti-SF-617.07R
4+8	195	Ti-SF-617.08L	Ti-SF-617.08R
4+9	213	Ti-SF-617.09L	Ti-SF-617.09R
4+10	231	Ti-SF-617.10L	Ti-SF-617.10R
4+12	267	Ti-SF-617.11L	Ti-SF-617.11R
4+14	303	Ti-SF-617.12L	Ti-SF-617.12R
4+16	339	Ti-SF-617.13L	Ti-SF-617.13R
4+18	375	Ti-SF-617.14L	Ti-SF-617.14R
4+20	411	Ti-SF-617.15L	Ti-SF-617.15R





SAFETY LOCK PLATES

... SMALL FRAGMENT SYSTEM



METAPHYSEAL SAFETY LOCK PLATE 3.5MM FOR DISTAL, MEDIAL HUMERUS

No. of Holes	Length in mm	Code S.S.
7	80	SF-611.07
9	106	SF-611.09
11	132	SF-611.11
13	158	SF-611.13
15	184	SF-611.15

No. of Holes	Length in mm	Code TITANIUM
7	80	Ti-SF-611.07
9	106	Ti-SF-611.09
11	132	Ti-SF-611.11
13	158	Ti-SF-611.13
15	184	Ti-SF-611.15

05
8



METAPHYSEAL SAFETY LOCK PLATES 3.5/4.5/5.0MM

No. of Holes	Length in mm	Code S.S.
5+3	118	SF-615.03
5+4	136	SF-615.04
5+5	154	SF-615.05
5+6	172	SF-615.06
5+7	190	SF-615.07
5+8	208	SF-615.08
5+9	226	SF-615.09
5+11	262	SF-615.11
5+13	298	SF-615.13
5+15	334	SF-615.15

No. of Holes	Length in mm	Code TITANIUM
5+3	118	Ti-SF-615.03
5+4	136	Ti-SF-615.04
5+5	154	Ti-SF-615.05
5+6	172	Ti-SF-615.06
5+7	190	Ti-SF-615.07
5+8	208	Ti-SF-615.08
5+9	226	Ti-SF-615.09
5+11	262	Ti-SF-615.11
5+13	298	Ti-SF-615.13
5+15	334	Ti-SF-615.15



RECONSTRUCTION SAFETY LOCK PLATES 3.5MM

No. of Holes	STAINLESS STEEL
5	SF-144.105
6	SF-144.106
7	SF-144.107
8	SF-144.108
9	SF-144.109
10	SF-144.110
11	SF-144.111
12	SF-144.112
13	SF-144.113
14	SF-144.114
15	SF-144.115
16	SF-144.116
17	SF-144.117
18	SF-144.118
19	SF-144.119
20	SF-144.120

No. of Holes	TITANIUM
5	Ti-SF-144.105
6	Ti-SF-144.106
7	Ti-SF-144.107
8	Ti-SF-144.108
9	Ti-SF-144.109
10	Ti-SF-144.110
11	Ti-SF-144.111
12	Ti-SF-144.112
13	Ti-SF-144.113
14	Ti-SF-144.114
15	Ti-SF-144.115
16	Ti-SF-144.116
17	Ti-SF-144.117
18	Ti-SF-144.118
19	Ti-SF-144.119
20	Ti-SF-144.120

05
9



RECONSTRUCTION SAFETY LOCK PLATE 3.5MM CURVED

No. of Holes	Code S.S.
5	SF-144.205C
6	SF-144.206C
7	SF-144.207C
8	SF-144.208C
9	SF-144.209C
10	SF-144.210C
11	SF-144.211C
12	SF-144.212C
13	SF-144.213C
14	SF-144.214C
16	SF-144.216C
18	SF-144.218C

No. of Holes	Code TITANIUM
5	Ti-SF-144.205C
6	Ti-SF-144.206C
7	Ti-SF-144.207C
8	Ti-SF-144.208C
9	Ti-SF-144.209C
10	Ti-SF-144.210C
11	Ti-SF-144.211C
12	Ti-SF-144.212C
13	Ti-SF-144.213C
14	Ti-SF-144.214C
16	Ti-SF-144.216C
18	Ti-SF-144.218C





**RECONSTRUCTION SAFETY LOCK PLATE 3.5MM
ROUND HOLES, STRAIGHT**

No. of Holes	Code S.S.
5	SF-444.105
6	SF-444.106
7	SF-444.107
8	SF-444.108
9	SF-444.109
10	SF-444.110
11	SF-444.111
12	SF-444.112
13	SF-444.113
14	SF-444.114
15	SF-444.115
16	SF-444.116
17	SF-444.117
18	SF-444.118
19	SF-444.119
20	SF-444.120

No. of Holes	Code TITANIUM
5	Ti-SF-444.105
6	Ti-SF-444.106
7	Ti-SF-444.107
8	Ti-SF-444.108
9	Ti-SF-444.109
10	Ti-SF-444.110
11	Ti-SF-444.111
12	Ti-SF-444.112
13	Ti-SF-444.113
14	Ti-SF-444.114
15	Ti-SF-444.115
16	Ti-SF-444.116
17	Ti-SF-444.117
18	Ti-SF-444.118
19	Ti-SF-444.119
20	Ti-SF-444.120



**RECONSTRUCTION SAFETY LOCK PLATE 3.5MM
ROUND HOLES, CURVED**

No. of Holes	Code S.S.
5	SF-444.205C
6	SF-444.206C
7	SF-444.207C
8	SF-444.208C
9	SF-444.209C
10	SF-444.210C
11	SF-444.211C
12	SF-444.212C
13	SF-444.213C
14	SF-444.214C
16	SF-444.216C
18	SF-444.218C

No. of Holes	Code TITANIUM
5	Ti-SF-444.205C
6	Ti-SF-444.206C
7	Ti-SF-444.207C
8	Ti-SF-444.208C
9	Ti-SF-444.209C
10	Ti-SF-444.210C
11	Ti-SF-444.211C
12	Ti-SF-444.212C
13	Ti-SF-444.213C
14	Ti-SF-444.214C
16	Ti-SF-444.216C
18	Ti-SF-444.218C

SAFETY LOCK SCREW Ø 2.7MM - SELF TAPPING



Length in mm	STAINLESS STEEL
20	SF-101.420
22	SF-101.422
24	SF-101.424
26	SF-101.426
28	SF-101.428
30	SF-101.430
32	SF-101.432
34	SF-101.434
36	SF-101.436
38	SF-101.438
40	SF-101.440
42	SF-101.442
44	SF-101.444
46	SF-101.446
48	SF-101.448
50	SF-101.450
52	SF-101.452
54	SF-101.454
56	SF-101.456
58	SF-101.458
60	SF-101.460



Length in mm	TITANIUM
20	Ti-SF-101.420
22	Ti-SF-101.422
24	Ti-SF-101.424
26	Ti-SF-101.426
28	Ti-SF-101.428
30	Ti-SF-101.430
32	Ti-SF-101.432
34	Ti-SF-101.434
36	Ti-SF-101.436
38	Ti-SF-101.438
40	Ti-SF-101.440
42	Ti-SF-101.442
44	Ti-SF-101.444
46	Ti-SF-101.446
48	Ti-SF-101.448
50	Ti-SF-101.450
52	Ti-SF-101.452
54	Ti-SF-101.454
56	Ti-SF-101.456
58	Ti-SF-101.458
60	Ti-SF-101.460

05
11





SAFETY LOCK SCREW Ø 3.5MM - SELF TAPPING



Length in mm	STAINLESS STEEL
10	SF-102.210
12	SF-102.212
14	SF-102.214
16	SF-102.216
18	SF-102.218
20	SF-102.220
22	SF-102.222
24	SF-102.224
26	SF-102.226
28	SF-102.228
30	SF-102.230
32	SF-102.232
34	SF-102.234
36	SF-102.236
38	SF-102.238
40	SF-102.240
42	SF-102.242
44	SF-102.244
46	SF-102.246
48	SF-102.248
50	SF-102.250
52	SF-102.252
54	SF-102.254
56	SF-102.256
58	SF-102.258
60	SF-102.260



Length in mm	TITANIUM
10	Ti-SF-102.210
12	Ti-SF-102.212
14	Ti-SF-102.214
16	Ti-SF-102.216
18	Ti-SF-102.218
20	Ti-SF-102.220
22	Ti-SF-102.222
24	Ti-SF-102.224
26	Ti-SF-102.226
28	Ti-SF-102.228
30	Ti-SF-102.230
32	Ti-SF-102.232
34	Ti-SF-102.234
36	Ti-SF-102.236
38	Ti-SF-102.238
40	Ti-SF-102.240
42	Ti-SF-102.242
44	Ti-SF-102.244
46	Ti-SF-102.246
48	Ti-SF-102.248
50	Ti-SF-102.250
52	Ti-SF-102.252
54	Ti-SF-102.254
56	Ti-SF-102.256
58	Ti-SF-102.258
60	Ti-SF-102.260

05
12

SAFETY LOCK SCREW Ø 3.5MM SELF TAPPING AND SELF DRILLING



Length in mm	STAINLESS STEEL
10	SF-102.410
12	SF-102.412
14	SF-102.414
16	SF-102.416
18	SF-102.418
20	SF-102.420
22	SF-102.422
24	SF-102.424
26	SF-102.426
28	SF-102.428
30	SF-102.430
32	SF-102.432
34	SF-102.434
36	SF-102.436
38	SF-102.438
40	SF-102.440
42	SF-102.442
44	SF-102.444
46	SF-102.446
48	SF-102.448
50	SF-102.450
52	SF-102.452
54	SF-102.454
56	SF-102.456
58	SF-102.458
60	SF-102.460



Length in mm	TITANIUM
10	Ti-SF-102.410
12	Ti-SF-102.412
14	Ti-SF-102.414
16	Ti-SF-102.416
18	Ti-SF-102.418
20	Ti-SF-102.420
22	Ti-SF-102.422
24	Ti-SF-102.424
26	Ti-SF-102.426
28	Ti-SF-102.428
30	Ti-SF-102.430
32	Ti-SF-102.432
34	Ti-SF-102.434
36	Ti-SF-102.436
38	Ti-SF-102.438
40	Ti-SF-102.440
42	Ti-SF-102.442
44	Ti-SF-102.444
46	Ti-SF-102.446
48	Ti-SF-102.448
50	Ti-SF-102.450
52	Ti-SF-102.452
54	Ti-SF-102.454
56	Ti-SF-102.456
58	Ti-SF-102.458
60	Ti-SF-102.460



3.5MM Ø CANCELLOUS SAFETY LOCK SCREW - SELF TAPPING

Length in mm	Code No. S.S.
10	SF-102.510
12	SF-102.512
14	SF-102.514
16	SF-102.516
18	SF-102.518
20	SF-102.520
22	SF-102.522
24	SF-102.524
26	SF-102.526
28	SF-102.528
30	SF-102.530
32	SF-102.532
34	SF-102.534
36	SF-102.536
38	SF-102.538
40	SF-102.540
42	SF-102.542
44	SF-102.544
46	SF-102.546
48	SF-102.548
50	SF-102.550
52	SF-102.552
54	SF-102.554
56	SF-102.556
58	SF-102.558
60	SF-102.560



Length in mm	Code No. TITANIUM
10	Ti-SF-102.510
12	Ti-SF-102.512
14	Ti-SF-102.514
16	Ti-SF-102.516
18	Ti-SF-102.518
20	Ti-SF-102.520
22	Ti-SF-102.522
24	Ti-SF-102.524
26	Ti-SF-102.526
28	Ti-SF-102.528
30	Ti-SF-102.530
32	Ti-SF-102.532
34	Ti-SF-102.534
36	Ti-SF-102.536
38	Ti-SF-102.538
40	Ti-SF-102.540
42	Ti-SF-102.542
44	Ti-SF-102.544
46	Ti-SF-102.546
48	Ti-SF-102.548
50	Ti-SF-102.550
52	Ti-SF-102.552
54	Ti-SF-102.554
56	Ti-SF-102.556
58	Ti-SF-102.558
60	Ti-SF-102.560



05
14

AS433 BASIC INSTRUMENTS SET FOR SMALL FRAGMENT SAFETY LOCK SYSTEM

	<i>Set Consisting of:</i>	<i>Units</i>
AS433.001	Drill Bit $\dot{\gamma}$ 2.8mm, Length 165mm, 2-flute, for Quick Coupling	2
AS433.004	Drill Sleeve 3.5 for Drill Bits $\dot{\gamma}$ 2.8mm	2
AS433.007	Screwdriver Shaft, hexagonal 2.5mm Tip	1
AS433.018	Torque Limiting Screw Driver, 2.5mm Tip, 1.5Nm	1
AS433.020	HSS Drill Bit $\dot{\gamma}$ 2.5mm	2
AS433.022	Extraction Screw, conical, for Screws $\dot{\gamma}$ 3.5mm	1
AS433.026	Centering Sleeve for Kirschner Wire $\dot{\gamma}$ 2.0mm, Length 110mm	1
AS433.028	Holding Sleeve for Screws	1
AS433.032	S.S. Container	1

OPTIONAL INSTRUMENTS (To be Ordered Separately)

SF-433.033	Drill Bit $\dot{\gamma}$ 2.0mm, Length 165mm, 2-flute, for Quick Coupling
SF-433.036	Drill Sleeve 3.5mm Cancellous for 2.0mm Drill Bits

NOTE: It ensures an optimal tightening and prevents over tightening of the safety lock screws.



NARANG MEDICAL LIMITED

ISO 9001:2000, ISO 13485:2003, CE & WHO:GMP Compliance



**DRILL BIT Ø 2.8MM, LENGTH 165MM, 2-FLUTE,
FOR QUICK COUPLING**
Code No.: AS433.001



**DRILL SLEEVE 3.5MM
FOR DRILL BITS 2.8MM**
Code No.: AS433.004



HSS DRILL BIT Ø 2.5MM
Code No.: AS433.020



**EXTRACTION SCREW
FOR SCREWS DIA 3.5MM**
Code No.: AS433.022



**SCREWDRIVER SHAFT, HEXAGONAL 2.5MM,
SELF HOLDING**
Code No.: AS433.007



**CENTERING SLEEVE FOR KIRSCHNER
WIRE Ø 2.0MM, LENGTH 110MM**
Code No.: AS433.026

05
15



TORQUE LIMITING SCREW DRIVER, 2.5MM TIP, 1.5Nm
Code No.: AS433.018



HOLDING SLEEVE FOR SCREWS
Code No.: AS433.028




**Threaded Drill Sleeve
for 3.5mm Lock Cortex Screws**
Code No.: SF-501.001



DRILL BIT - S.S. - QUICK COUPLING END

Code No.	Dia. in mm	Length in mm
260.190	1.1	60
260.192	1.5	60
260.200	2.0	100
260.250	2.5	115
260.251	2.5	130
260.271	2.7	130
260.273	2.7	200
260.276	2.8	165

→ to be used
with 3.5mm
Safety Screws
& Safety Plates



AS129

3.5MM SAFETY LOCK PLATES & SCREWS IMPLANTS SET

*Set Consisting of:**Units*

SF-501.001	Threaded Drill Sleeve for 3.5mm Safety Lock Screws	2
260.276	Drill Bit SS, Quick Coupling End, 2.8mm Dia, L-165mm	2
306.010	Quick Coupling Handle (T- Type), SS	1
301.060	Screws Driver Shaft Q.C. End, 2.5mm Tip, SS	1
SF-102.210	Safety Lock Screw Dia. 3.5mm, Self Tapping, L 10mm, SS	2
SF-102.212	Safety Lock Screw Dia. 3.5mm, Self Tapping, L 12mm, SS	2
SF-102.214	Safety Lock Screw Dia. 3.5mm, Self Tapping, L 14mm, SS	2
SF-102.216	Safety Lock Screw Dia. 3.5mm, Self Tapping, L 16mm, SS	2
SF-102.218	Safety Lock Screw Dia. 3.5mm, Self Tapping, L 18mm, SS	2
SF-102.220	Safety Lock Screw Dia. 3.5mm, Self Tapping, L 20mm, SS	2
SF-102.222	Safety Lock Screw Dia. 3.5mm, Self Tapping, L 22mm, SS	2
SF-102.224	Safety Lock Screw Dia. 3.5mm, Self Tapping, L 24mm, SS	2
SF-102.226	Safety Lock Screw Dia. 3.5mm, Self Tapping, L 26mm, SS	3
SF-102.228	Safety Lock Screw Dia. 3.5mm, Self Tapping, L 28mm, SS	3
SF-102.230	Safety Lock Screw Dia. 3.5mm, Self Tapping, L 30mm, SS	3
SF-102.232	Safety Lock Screw Dia. 3.5mm, Self Tapping, L 32mm, SS	3
SF-102.234	Safety Lock Screw Dia. 3.5mm, Self Tapping, L 34mm, SS	3
SF-102.236	Safety Lock Screw Dia. 3.5mm, Self Tapping, L 36mm, SS	3
SF-102.238	Safety Lock Screw Dia. 3.5mm, Self Tapping, L 38mm, SS	3
SF-102.240	Safety Lock Screw Dia. 3.5mm, Self Tapping, L 40mm, SS	3
SF-102.242	Safety Lock Screw Dia. 3.5mm, Self Tapping, L 42mm, SS	3
SF-102.244	Safety Lock Screw Dia. 3.5mm, Self Tapping, L 44mm, SS	3
SF-102.246	Safety Lock Screw Dia. 3.5mm, Self Tapping, L 46mm, SS	3
SF-102.248	Safety Lock Screw Dia. 3.5mm, Self Tapping, L 48mm, SS	2
SF-102.250	Safety Lock Screw Dia. 3.5mm, Self Tapping, L 50mm, SS	2
SF-102.252	Safety Lock Screw Dia. 3.5mm, Self Tapping, L 52mm, SS	2
SF-102.256	Safety Lock Screw Dia. 3.5mm, Self Tapping, L 56mm, SS	2
SF-102.260	Safety Lock Screw Dia. 3.5mm, Self Tapping, L 60mm, SS	2
SF-147.104	3.5mm Small DCP Safety Lock Plate with LC-Undercuts, 4 Holes, SS	1
SF-147.105	3.5mm Small DCP Safety Lock Plate with LC-Undercuts, 5 Holes, SS	1
SF-147.106	3.5mm Small DCP Safety Lock Plate with LC-Undercuts, 6 Holes, SS	1
SF-147.107	3.5mm Small DCP Safety Lock Plate with LC-Undercuts, 7 Holes, SS	1
SF-147.108	3.5mm Small DCP Safety Lock Plate with LC-Undercuts, 8 Holes, SS	1
SF-147.109	3.5mm Small DCP Safety Lock Plate with LC-Undercuts, 9 Holes, SS	1
SF-147.110	3.5mm Small DCP Safety Lock Plate with LC-Undercuts, 10 Holes, SS	1
SF-141.103	Safety Lock Small 'T' Plate 3.5mm, 3 Holes, SS	1
SF-141.104	Safety Lock Small 'T' Plate 3.5mm, 4 Holes, SS	1
SF-141.105	Safety Lock Small 'T' Plate 3.5mm, 5 Holes, SS	1
SF-142.103L	Safety Lock Small Oblique 'T' Plate 3.5mm, 3 Holes, Left, SS	1
SF-142.104L	Safety Lock Small Oblique 'T' Plate 3.5mm, 4 Holes, Left, SS	1
SF-142.105L	Safety Lock Small Oblique 'T' Plate 3.5mm, 5 Holes, Left, SS	1
SF-142.103R	Safety Lock Small Oblique 'T' Plate 3.5mm, 3 Holes, Right, SS	1
SF-142.104R	Safety Lock Small Oblique 'T' Plate 3.5mm, 4 Holes, Right, SS	1
SF-142.105R	Safety Lock Small Oblique 'T' Plate 3.5mm, 5 Holes, Right, SS	1
SF-144.106	Reconstruction Safety Lock Plate 3.5mm, 6 Holes, SS	1
SF-144.108	Reconstruction Safety Lock Plate 3.5mm, 8 Holes, SS	1
SF-144.110	Reconstruction Safety Lock Plate 3.5mm, 10 Holes, SS	1
SF-146.103	Cloverleaf Safety Lock Plate 3.5mm, 3 Holes, SS	1
SF-146.104	Cloverleaf Safety Lock Plate 3.5mm, 4 Holes, SS	1
SF-146.105	Cloverleaf Safety Lock Plate 3.5mm, 5 Holes, SS	1
906.001	SS Container	1